



भारत का राजपत्र

The Gazette of India

बसाधारण EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (1)
PART II—Section 3—Sub-section (1)

प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं. 240]
No. 240]

नई दिल्ली, सोमवार, जुलाई 2, 1984/आषाढ़ 11, 1906
NEW DELHI, MONDAY, JULY 2, 1984/ASADHA 11, 1906

इस भाग में भिन्न पृष्ठ संख्या वाली है जिससे कि यह अलग संकलन के क्षण में
रखा जा सके।

Separate Paging is given to this Part in order that it may be filed as a separate
compilation

स्वास्थ्य और परिवार कल्याण मंत्रालय

(स्वास्थ्य विभाग)

अधिसूचना

नई दिल्ली, 2 जुलाई, 1984

सू.का.वि. 489(अ) :—आद्य अपमिश्रण विवारण नियम, 1955 का और संशोधन करने के लिये नियमों का निम्नलिखित प्रारूप, जिसे केन्द्रीय सरकार, आद्य अपमिश्रण विवारण अधिनियम, 1954(1954 का 37) की धारा 23 की उपचारा (1) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, केन्द्रीय आद्य मानक समिति से परामर्श करने के पश्चात् बनाता आहती है, उक्त धारा 23 की उपचारा (1) की अपेक्षानुसार ऐसे सभी शक्तियों की जानकारी के लिये प्रकाशित किया जाता है, जिनके उसमें प्रभावित होने की संभावना है। इसके अलावा यह सुननी दी जाती है कि उक्त प्रारूप के द्वारा तारीख से अंतिमको इस राजनग की अंतिमी, जिसमें यह अधिसूचना शक्तियों की जाती है, कलता को उपलब्ध करा वी जाती है, 90 दिन की समाप्ति के एकात्म विवार किया जायेगा।

ऐसे आक्षेप या उत्तरों पर जो इस प्रकार विनिविट अवधि की समाप्ति से पहले आये और उक्त अंतिमको अंतिम से प्राप्त होंगे, केन्द्रीय सरकार विवार करती।

आक्षेप या सुनाव यदि कोई है, सन्ति, स्वास्थ्य और परिवार कल्याण मंत्रालय, स्वास्थ्य विभाग, निर्माण भवन, नई दिल्ली को सेवे जा सकते हैं।

प्रारूप नियम

1. (1) इन नियमों का संभिल नाम आद्य अपमिश्रण विवारण (संशोधन) नियम, 1984 है।
(2) ये राजपत्र में उनके अंतिम प्रकाशन को तारीख को प्रदृश होते।
2. आद्य अपमिश्रण विवारण नियम, 1955 में परिविष्ट यह में—
(1) क. 26.01, 26.02, क. 26.03, क. 26.04, क. 26.05, क. 26.11, क. 26.12 और क. 26.13 मध्ये के स्थान पर निम्नलिखित मध्ये रखो आएंगी, अधीत :—

क. 26.01

एमा रन्ब।

सामाध्य नाम

—एमारन्द

पर्याय नाम—

बोडीक्स, एस, एक डी और सी आल सं. 2 एमारन्द, सी०आ०१० आला लाल 9, एल, सेट 3, फॉ०१० सी० आम सं० १० 123

रंग

आमुत जम में 0.1 प्रतिशत (मा/आ०) औल का रंगलाल

रंग सूचकांक (1956) सं. 16185

मरी —

मोनोएजो

रासायनिक नाम —

1— (4बराणो—1—नैपूरिलेजो)

—2—नैपूरोल—1. 6

इहसरकोनिक अम्ल का टिरसोडियम लवण।

मूलानुपाती सूत्र—सी 20 एवं 11 एवं 2 और 10 एवं 3 एवं 43

आधिक भार—604.48

ऐमारन्थ निम्नलिखित अपेक्षाओं को भी पूरा करेगा, अर्थात् :—

क्रम सं०	अभिलक्षण	अपेक्षा
(1) 105 सें० ± 1 सें० पर दो छंटे तक सुखाए गये नमूनों के लिये संशोधित शुद्ध रंजक अन्तर्वेस्तु भार में प्रतिशत	—85 से अध्यून	
(2) 135 सें० पर बाष्पशील पदार्थ, भार में प्रतिशत और सोडियम लवण के रूप में अधिक्यक्त क्लोराइड और सल्फेट भार में प्रतिशत	15 से अनधिक	
(3) जल अविलेय पदार्थ भार में प्रतिशत	0.5 से अनधिक	
(4) संयोजित हीथर निष्कर्षण, भार में प्रतिशत	0.2 से अनधिक	
(5) सहायक रंजक भार में प्रतिशत	4.0 से अनधिक	
(6) रंजक मध्यवर्ती भार में प्रतिशत	0.5 से अनधिक	
(7) आसैनिक भाग प्रति दस लाख	3.0 से अनधिक	
3 सीसा, भाग प्रति दस लाख	10.0 से अनधिक	

क्र. 26.02 चमकीला नीला एक सी एक

सामान्य नाम	चमकीला नीला एक सी एक
पर्याय नाम	सी आई लाल नीला 2, एक दी और सी नीला सं० 1 नीला चमकीला एक सी एक
पर्याय	ट्रिअरिल्योथन
रंग	नीला
रंग सूचकांक (1956) सं० 42090	4—(एन-एथिल-नी सल्फो-बैंजिलए मिनो) फैनिल (2-एल्कोनियमफैनिल) ——मेथिलेन— 1. एन-एथिल—एन-नी-सल्फैंजिल) 2,5 साइक्लोट्रिक्सा ए दी एनिमिन) का डाइसोडियम लवण
रासायनिक नाम	सी 37 एवं 34 एवं 2 और 9 एवं 3
मूलानुपाती सूत्र	सी 37 एवं 34 एवं 2 और 9 एवं 3
आधिक भार	792.86

चमकीला नीला एक सी एक निम्नलिखित अपेक्षाओं को भी पूरा करेगा, अर्थात् :—

क्रम सं०	अभिलक्षण	अपेक्षाएँ
(1) 105 सें०-1, 1 सें० पर दो छंटे तक सुखाए गये नमूनों के लिये संशोधित शुद्ध रंजक अन्तर्वेस्तु भार में प्रतिशत	85 से अध्यून	
(2) 135 सें० पर बाष्पशील पदार्थ भार में प्रतिशत और सोडियम लवण के रूप में अधिक्यक्त क्लोराइड और सल्फेट भार में प्रतिशत	15 से अनधिक	
(3) जल अविलेय पदार्थ, भार में प्रतिशत	0.2 से अनधिक	
(4) संशोधित हीथर निष्कर्षण, भार में प्रतिशत	0.2 से अनधिक	
(5) सहायक रंजक भार में प्रतिशत	3 से अनधिक	
(6) रंजक मध्यवर्ती, भार में प्रतिशत	0.5 से अनधिक	
(7) सीसा भाग प्रति दस लाख	10 से अनधिक	
(8) आसैनिक भाग प्रति दस लाख	3 से अनधिक	

क्र. 21.03 : कार्मोसीन

सामान्य नाम

पर्याय नाम

रंग

रंग सूचकांक

वर्ता

रासायनिक

मूलानुपाती सूत्र

सी 20 एवं 12 एवं 2 और 7 एवं

2 एवं ए 2

आधिक भार

कोमोसीन निम्नलिखित अपेक्षाओं को पूरा करेगा, अर्थात् :—

क्रम सं० अभिलक्षण अपेक्षाएँ

(1) नमूनों के लिय 105 सें० 1 सें० पर दो छंटे

तक सुखाए गये नमूनों के लिये संशोधित

शुद्ध रंजक अन्तर्वेस्तु भार में 85 से अन्यून प्रतिशत

(2) 135 सें० पर बाष्पशील पदार्थ, भार में प्रतिशत और

सोडियम लवण के हाथ में अधिक्यक्त

क्लोराइड और सल्फेट भार में प्रतिशत

(3) जल-अविलेय पदार्थ भार में प्रतिशत 15 से अनधिक

(4) संशोधित हीथर निष्कर्षण, भार में प्रतिशत 0.5 से अनधिक

(5) सहायक रंजक भार में प्रतिशत 1.0 से अनधिक

(6) रंजक मध्यवर्ती भार में प्रतिशत 0.5 से अनधिक

(7) आसैनिक भाग प्रति दस लाख 3.0 से अनधिक

(8) सीसा, भाग प्रति दस लाख 10.0 से अनधिक

क्र. 26.04 एरियोसीन

सामान्य नाम

पर्याय नाम

रंग

रंग सूचकांक

वर्ता

रासायनिक नाम

मूलानुपाती सूत्र

सी 20 एवं 6 और 5 आई 4 एवं 2

आधिक भार

एरियोसीन, निम्नलिखित अपेक्षाओं को भी पूरा करेगा, अर्थात् :—

क्रम सं० अभिलक्षण अपेक्षाएँ

(1) 105 सें० ± 1 सें० 2 छंटे तक सुखाए गये नमूनों

के लिये संशोधित शुद्ध रंजक अन्तर्वेस्तु भार

में प्रतिशत 85 से अन्यून

1	2	3	रंग सूचकांक वर्ण	—(1956)--- 18045 —भोजोपेश्वर
(ii) 135 सें. पर बाष्पशील पदार्थ, और सोडियम के रूप में अभिव्यक्त क्लोराइड और सल्फेट भार में प्रतिशत	1.5 से अनधिक	रासायनिक नाम	-1) 4-(सल्फो-1-नैपिलेजी)-2-नेपथाल-6-सल्फ्यूरिक अम्ल का डाइसोडियम लवण	
(iii) जल प्रविलेय पदार्थ भार में प्रतिशत	0. 2 से अनधिक	मूलानुपाती सूक्ष्म व्याणिक भार	सी 20 एस 12 एन 2 औ 7 एस 2 एन ए 2 —502. 44	
(iv) संयोजित ईंधर निष्कर्षण (अल्कॉहॉल) भार में 0. 2 से अनधिक प्रतिशत		फास्ट रेड ई निम्नलिखित अपेक्षाओं को भी पूरा करेगा, अर्थात् :—		
(v) प्रकार्बनिक आयोडाइड, सोडियम आयोडाइड के रूप में भार में प्रतिशत	0. 1 से अनधिक	क्रम सं०	प्रभिलक्षण	अपेक्षाएं
(vi) आर्सेनिक भाग प्रति दस लाख	3. 0 से अनधिक	(1) 105 सें + 1 सें पर दो बटे तक सुखाए गए नमूनों के लिए संशोधित शुद्ध रंजक रंतवैस्तु भार प्रतिशत		
(vii) सीसा भाग प्रति दस लाख	10. 0 से अनधिक	(2) 135 सें पर बाष्पशील पदार्थ भार में प्रतिशत और सोडियम लवण के रूप में अभिव्यक्त क्लोराइड और सल्फेट भार में प्रतिशत	1.5 से अनधिक	
क. 26. 05 फास्ट भीन एक सी एक		(3) जल-प्रविलेय पदार्थ भार में प्रतिशत	0. 5 से अनधिक	
सामान्य नाम	फास्ट भीन एक सी एक	(4) संयोजित ईंधर निष्कर्षण, भार में प्रतिशत	0. 5 से अनधिक	
पदार्थ नाम	भी आई बाय हरा 3, एक और सी हरा सें 3, बर्ट सोलिड एक सी एक	(5) सहायक रंजक मध्यवर्ती भार में प्रतिशत	4. 0 से अनधिक	
रंग	हरा	(6) रंजक मध्यवर्ती भार में प्रतिशत	0. 5 से अनधिक	
वर्ग	ट्रिएरिल मेथेन	(7) आर्सेनिक भाग प्रति दस लाख	3. 0 से अनधिक	
रंग सूचकांक (1956)---रो 42053		(8) सीसा, भाग प्रति दस लाख	10. 0 से अनधिक	
रासायनिक नाम	—4 [{4---(एन-एचिल-भी-सल्फो-वैजिलेमिनो) फैगिल}---(4---हाइड्रोक्सी-2-सल्फोनियोफैगिल) भैथिलीन]---1- (एन-एचिल-एन-भी-सल्फो-वैजिल) 2. 5—साइक्लोपेक्सा का डाइसोडियम लवण।	क. 26. 12 भीन एस		
मूलानुपाती सूक्ष्म—	सी 37 एच 34 और 10 एन 2 एस 3 एन ए 2	सामान्य नाम	—भीन एस	
व्याणिक भार	808. 86	पदार्थ नाम	पूल भीन वी एस, भीन वी सी आई, बाय हरा 4, बर्ट एसिड चमकीला वी एस	
फास्ट, भीन, एक सी एक निम्नलिखित अपेक्षाओं को भी पूरा करेगा, अर्थात् :—		रंग	हरा	
क्रम सं०	प्रभिलक्षण	वर्ग	ट्रिएरियल मेथेन	
(i) 105 सें + 1 सें पर दो बटे तक सुखाए गए नमूनों के लिए संशोधित शुद्ध रंजक रंतवैस्तु भार में प्रतिशत	85 से अन्यून	रंग सूचकांक (1956)---449901		
(2) 135 सें. भी० पर बाष्पशील पदार्थ, भार में प्रतिशत और सोडियम लवण के रूप में अभिव्यक्त क्लोराइड और सल्फेट भार में प्रतिशत	1.5 से अनधिक	रासायनिक नाम- 4, 4—विस (आइमेथिल-एमिनो)---डाइफनिल मेथेलिन-(2-नेप्टेन-3)		
(3) जल प्रविलेय पदार्थ भार में प्रतिशत	0. 2 से अनधिक	मूलानुपाती सूक्ष्म—	6-डाइसल्फोनिक अम्ल का भोजोसोडियम लवण	
(4) संयोजित ईंधर निष्कर्षण, भार में प्रतिशत	0. 2 से अनधिक	सीसा 27 एच 25 एन 2 एन ए और 7 एस 2 576. 63		
(5) सहायक रंजक मध्यवर्ती भार में प्रतिशत	1. 0 से अनधिक	भीन एस निम्नलिखित अपेक्षाओं को भी पूरा करेगा, अर्थात् :—		
(6) रंजक मध्यवर्ती भार में प्रतिशत	0. 5 से अनधिक	क्रम सं०	प्रभिलक्षण	अपेक्षाएं
(7) आर्सेनिक भाग प्रति दस लाख	10 से अनधिक	(1) 105 में० ± 1 सें पर दो बटे तक सुखाए गए नमूनों के लिए 85 से संशोधित शुद्ध रंजक ग्रीनवैस्तु भार में प्रतिशत अन्यून		
(8) सीसा, भाग प्रति दस लाख	1. 1 से अनधिक	(2) 135 सें पर बाष्पशील पदार्थ और सोडियम लवण के रूप में अभिव्यक्त क्लोराइड और सल्फेट भार में प्रतिशत	1.5 से अनधिक	
क. 26. 11 फास्ट रेड ई.		(3) जल प्रविलेय पदार्थ भार में प्रतिशत	0. 2 से अनधिक	
सामान्य नाम	—फास्ट रेड ई	(4) संयोजित ईंधर निष्कर्षण भार में प्रतिशत	0. 2 से अनधिक	
		(5) सहायक रंजक भार में प्रतिशत	0. 2 से अनधिक	

1	2	3
(7) सीमा भाग प्रति वस लाख	10 से अनधिक	
(8) आर्सेनिक भाग प्रति वस लाख	3 से अनधिक	
क. 26.13	ईडियो कार्मीन	

सामान्य नाम	—ईडियो कार्मीन
पदार्थ नाम	—ईडियोटोम, एम डी और सी नीला स० 2 सी० माई० लाख नीला 1, ई० ई० सी० अम स० 132 एल—नीला 2
रंग	—मासुत जल में 0.1 प्रतिशत (भा०/भा०) घोल का रंग-नीला
रंग सूचकांक	(1956) सं० 73015
वर्ग	ईडियोइड
रासायनिक नाम	ईडियोटीन-5-5 डाइसल्फोनिक अम्ल का डाइसोडियम लवण।
मूलानुपाती सूक्ष्म	सी 16 एच 8 एन 28 एम 2 एम ए 2
आणविक भार	166.36

ईडियो कार्मीन निम्नलिखित अपेक्षाओं को भी पूरा करेगा, अर्थात् :

क्रम सं०	अभिलक्षण	अपेक्षाएं
(1) 105° सें० + 1 सें० पर दो घंटे तक सुखाए गए नमूनों के लिए संशोधित शुद्ध रंगक अंतर्वेस्तु भार में प्रतिशत	8.5 मे अन्यून	
(2) 135° सें० पर वाष्पशील पदार्थ और सोडियम सल्फेट भार में प्रतिशत	15 से अनधिक	
(3) जल अविलेय पदार्थ भार में प्रतिशत	0.5 से अनधिक	
(4) संयोजित ईंधर निष्कर्षण भार में प्रतिशत	0.5 से अनधिक	
(5) सहायक रंगक भार में प्रतिशत	5.0 से अनधिक	
(6) इसाटिन सल्फोनिक अम्ल भार में प्रतिशत	1.0 से अनधिक	
(7) आर्सेनिक भाग प्रति वस लाख	3.0 से अनधिक	
(8) सीसा भाग प्रति वस लाख	10.0 अनधिक	

क्र. 26.14	पोस्पो 4 भार
सामान्य नाम	पोस्पो 4 घार
पदार्थ नाम	सी० माई० फूल रेष 7.1-रोट म० 4 कोकसीन नवेली, कोकसीनेल रेष ए ई० ई० सी० अम स० ई० 124
रंग	मासुत जल में, 0.1 प्रतिशत (भा० भा०) घोल का रंग लाल
रंग सूचकांक	(1956) सं० 16255
वर्ग	मोनोएजी
रासायनिक तात्त्व-1-(4 सल्फो-1-नैफ्प्रेजो)-2-	
नैफ्याल - 6-0 डाइसल्फोनिक अम्ल का ड्रिसो-डियम लवण	
मूलानुपाती सूक्ष्म सी 20 एच 11 एन 2 एम 10 एफ 3 एन ए 3	
आणविक भार	604.5

पोस्पो 4 भार निम्नलिखित अपेक्षाओं को भी पूरा करेगा, अर्थात् :	
क्रम सं०	अभिलक्षण
	अपेक्षाएं
(1) नमूनों के लिए 105° सें० ± 1 सें० पर दो घंटे तक सुखाए गए संशोधित शुद्ध रंगक अंतर्वेस्तु भार में प्रतिशत	8.0 से अन्यून तक सुखाए गए संशोधित शुद्ध रंगक अंतर्वेस्तु भार में प्रतिशत
(2) 135° वें० पर वाष्पशील पदार्थ, भार में प्रतिशत और सोडियम लवण के रूप से अधिक्यक्ति क्लोराइड और सल्फेट भार में प्रतिशत	15 से अनधिक
(3) जल अविलेय पदार्थ भार में प्रतिशत	0.5 से अनधिक
(4) संयोजित ईंधर निष्कर्षण भार में प्रतिशत	0.5 से अनधिक
(5) सहायक रंगक भार में प्रतिशत	1.0 से अनधिक
(7) रंगक मध्यवर्ती भार में प्रतिशत	0.5 से अनधिक
(7) आर्सेनिक भाग प्रति वस लाख	3.0 से अनधिक
(8) सीसा भाग प्रति वस लाख	10.0 से अनधिक
क. 26.15 सूर्यस्ती पीला (सनसेट येलो) एक सौ एक	
सामान्य नाम	सूर्यस्ती पीला (सनसेट येलो)
पदार्थ नाम	एफडीबीरसी पीला स० 6 जीनीओरेंज एस०सी०आई० लालपीला 3, एस औरेंज 2 जाने सोलिल, ई०ई०सी० अम स० ई० 110
रंग	मासुत जल में 0.1 प्रतिशत (भा०/भा०) घोल का रंग नारंगी।
रंग सूचकांक (1956) सं० 16985	
वर्ग	मोनोएजी
रासायनिक नाम	1—(4 सल्फोफैनिलेजी 7—2 नैफ्याल—6—सल्फोनिक अम्ल का डाइसो-डियम लवण
आणविक भार	452.37
सूर्यस्ती पीला (सनसेट येलो) एफसी एक निम्नलिखित अपेक्षाओं को भी पूरा करेगा, अर्थात्	
क्रम सं०	अभिलक्षण
	अपेक्षाएं
(1) 105° सें० ± 1' सें० पर दो घंटे तक सुखाए गए नमूनों के लिए संशोधित शुद्ध रंगक अंतर्वेस्तु भार में प्रतिशत	8.5 से अन्यून
(2) 135° सें० पर वाष्पशील पदार्थ, भार में प्रतिशत और सोडियम लवण के रूप से अधिक्यक्ति क्लोराइड और सल्फेट भार में प्रतिशत	15 से अनधिक
(3) जल-अविलेय पदार्थ भार में प्रतिशत	0.5 से अनधिक
(4) संयोजित ईंधर निष्कर्षण, भार में प्रतिशत	0.2 से अनधिक
(5) सहायक रंगक भार में प्रतिशत	5.0 से अनधिक
(6) रंगक मध्यवर्ती भार में प्रतिशत	0.5 से अनधिक
(7) आर्सेनिक भाग प्रति वस लाख	3.0 से अनधिक
(8) सीसा भाग प्रति वस लाख	10.0 से अनधिक

क. 26.14	टारट्रॉजीन
सामान्य नाम	टारट्रॉजीन
पर्याप्त नाम	एक बी और सी पीला सं० 5. ई०ई०सी० क्रम संख्या ई० 102, एल-जोड्ड 2, सी०आ० खाय पीला 4
रंग	आमुत जल में 0.1 प्रतिशत (भा०/आ०) बोल का रंग पीला
रंग सूचकांक	—(1956) सं० 19140
वर्ग	—ए जो
रसायनिक नाम	—5-हाइड्रोक्सी-1-पी सल्फोकेनिल-4—(पी सल्फोफिलिजों) पायरजोल —3-कार्बोक्सीलिक अम्ल का फ्रिसोडियम लवण । —सी 16 एच 9 एन 4 औ 9 एन 2 एन 3
मूलानपाती सूक्ष्म	
आणविक भार	534. 4
टारट्रॉजीन, निम्नलिखित अपेक्षाओं को भी पूरा करेगा। अर्थात्—	

क्रम सं०	अविलम्बण	अपेक्षाएँ
(1)	105 सं० +—1° सं० पर दो घण्टे तक सुखाए गए तमूनों के लिए संशोधित शुद्ध रंगक अंतर्वल्टु भार में प्रतिशत	85 से अन्यून
(2)	135° सं० पर बाल्परील पदार्थ, भार में प्रतिशत और सोडियम लवण के रूप में अविलम्बित क्लोरोइड और सल्फेट भार में प्रतिशत	15 से अनधिक
(3)	जल अविलेय पदार्थ भार में प्रतिशत	0.5 से अनधिक
(4)	संयोजित ईथर निष्कर्षण, भार में प्रतिशत	0.8 से अनधिक
(5)	सहायक रंगक भार में प्रतिशत	3.0 से अनधिक
(6)	रंगक मध्यवर्ती भार में प्रतिशत	0.5 से अनधिक
(7)	आसेनिक भाग प्रति दस लाख	3.0 से अनधिक
(8)	सौसा, भाग प्रति दस लाख	10.0 से अनधिक
(2)	मध्य सं० क. 26.14 को मध्य सं० क 26.17 के रूप में पुनः संख्यांकित किया जाएगा और इस प्रकार पुनः संख्यांकित मध्य सं० क 26.17 में,—	
(क)	सीसेरे पैरा में “और कुल रंगक अंश घोषित भूल के प्रतिशत के भीतर होगा” शब्दों और अंकों के स्थान पर निम्नलिखित रखा जाएगा, अर्थात्— “इस विनिमित्यों और मिश्नों के लिए कुल रंगक अंश घोषित भूल के 10 प्रतिशत से अन्यून या 15 प्रतिशत से अनधिक होगा और ठीस विनिमित्यों और मिश्नों के लिए यह घोषित भूल के 7.5 प्रतिशत के भीतर होगा ;	
(ब)	विद्यमान दिप्पण को दिप्पण 1 के रूप में पुनः संख्यांकित किया जाएगा और इस प्रकार पुनः संख्यांकित	
दिप्पण 1	के पश्चात निम्नलिखित दिप्पण अंतःस्थापित किया जाएगा, अर्थात्—	

“दिप्पण 2—उपरोक्त सूचीबद्ध कोल तार खाय रंग किसी प्रकार के पारे सिलेनियम और ओमियन, ऐसेमेटिक एमिस्ट्री, ऐरोमेटिक नाइट्रोजिनों, ऐरोमेटिक हाइड्रोकार्बनों और साइक्लोपेनों से मूक होगा ।”

दिप्पण : याद अपमिक्त निवारण नियम, 1955 से संबंधित भूल नियम, प्रथम बार भारत के राजपत्र भाग 2, खंड 3 में कां निं० आ० 2106, तारीख 12-9-55 द्वारा प्रकाशित किए गए थे और तत्पश्चात् उनमें निम्नलिखित द्वारा संशोधन किए गए :—

- कां निं० आ० 1202, तारीख 26-5-56
- कां निं० आ० 1687, तारीख 28-7-56
- कां निं० आ० 2213, तारीख 28-9-56 (प्रसाधारण)
- कां निं० आ० 2755, तारीख 24-11-56

उसमें किए गए और संशोधन भारत के राजपत्र, भाग 2, खंड 3, उपखंड (i) में निम्न प्रकार प्रकाशित किए गए थे :—

- सा० का० निं० 514, तारीख 28-6-58
- सा० का० निं० 1211, तारीख 20-12-58
- सा० का० निं० 425, तारीख 4-4-60
- सा० का० निं० 189, तारीख 11-2-61
- सा० का० निं० 1134, तारीख 18-9-61
- सा० का० निं० 1340, तारीख 4-11-61
- सा० का० निं० 1584, तारीख 24-11-62
- सा० का० निं० 1589, तारीख 20-10-64
- सा० का० निं० 1814, तारीख 11-12-65
- सा० का० निं० 74, तारीख 8-1-66
- सा० का० निं० 382, तारीख 19-3-66
- सा० का० निं० 1256, तारीख 26-8-67
- सा० का० निं० 1533, तारीख 24-8-68
- सा० का० निं० 2183, तारीख 14-12-68 (शुद्धिपत्र)
- सा० का० निं० 532, तारीख 8-3-69
- सा० का० निं० 1764, तारीख 26-7-69 (शुद्धिपत्र)
- सा० का० निं० 2068, तारीख 30-8-69
- सा० का० निं० 1809, तारीख 24-10-70
- सा० का० निं० 938, तारीख 12-6-71
- सा० का० निं० 992, तारीख 3-7-71
- सा० का० निं० 553, तारीख 6-5-72
- सा० का० निं० 436 (भ), तारीख 10-10-72
- सा० का० निं० 133, तारीख 10-2-73
- सा० का० निं० 205, तारीख 23-2-74
- सा० का० निं० 850, तारीख 12-7-75
- सा० का० निं० 508, (भ) तारीख 27-9-75
- सा० का० निं० 63 (भ), तारीख 5-2-76
- सा० का० निं० 754, तारीख 28-5-76
- सा० का० निं० 856, तारीख 12-6-76
- सा० का० निं० 1417, तारीख 2-10-76
- सा० का० निं० 4(भ), तारीख 4-1-77
- सा० का० निं० 18(भ), तारीख 15-1-77
- सा० का० निं० 651 (भ), तारीख 20-10-77
- सा० का० निं० 732 (भ), तारीख 5-12-77
- सा० का० निं० 775 (भ), तारीख 27-12-77
- सा० का० निं० 36 (भ), तारीख 21-1-78
- सा० का० निं० 70 (भ), तारीख 8-2-78
- सा० का० निं० 238 (भ), तारीख 20-4-78

43. सा का नि 393 (प्र), तारीख 4-8-78
 44. सा का नि 590 (प्र), तारीख 23-12-78
 45. सा का नि 55 (प्र), तारीख 31-1-79
 46. सा का नि आ का आ 142 (प्र), तारीख 16-3-79 (शुद्धि पत्र)
 47. सा० का० नि० 231 (प्र), तारीख 8-4-79
 48. सा० का० नि० 423, तारीख 30-8-79 (शुद्धिपत्र)
 49. सा० का० नि० 1043, तारीख 11-8-79 (शुद्धिपत्र)
 50. सा० का० नि० 1210, तारीख 29-8-79 (शुद्धिपत्र)
 51. सा० का० नि० 19 (प्र), तारीख 28-1-80
 52. सा० का० नि० 243, तारीख 1-3-80
 53. सा० का० नि० 244, तारीख 1-3-80
 54. सा० का० नि० 996, तारीख 8-9-80 (शुद्धिपत्र)
 55. सा० का० नि० 579 (प्र), तारीख 13-10-80
 56. सा० का० नि० 652 (प्र) तारीख 14-11-80
 57. सा० का० नि० 710 (प्र), तारीख 22-12-80
 58. सा० का० नि० 23, (प्र), तारीख 16-1-81
 59. सा० का० नि० 205 (प्र) तारीख 25-3-81 (शुद्धि पत्र)
 60. सा० का० नि० 290 (प्र), तारीख 13-4-81
 61. सा० का० नि० 444, तारीख 2-5-81 (शुद्धि पत्र)
 62. सा० का० नि० 503 (प्र), तारीख 1-9-81
 63. सा० का० नि० 891, तारीख 3-10-81 (शुद्धि पत्र)
 64. सा० का० नि० 1058, तारीख 5-12-81 (शुद्धि पत्र)
 65. सा० का० नि० 80, तारीख 23-1-82 (शुद्धि पत्र)
 66. सा० का० नि० 44 (प्र), तारीख 5-2-82
 67. सा० का० नि० 57 (प्र), तारीख 11-2-82
 68. सा० का० नि० 245 (प्र), तारीख 11-3-82
 69. सा० का० नि० 307 (प्र), तारीख 2-4-82 (शुद्धि पत्र)
 70. सा० का० नि० 386, तारीख 17-4-82 (शुद्धि पत्र)
 71. सा० का० नि० 422, (प्र), तारीख 24-5-82
 72. सा० का० नि० 476 (प्र), तारीख 28-6-82
 73. सा० का० नि० 504 (प्र), तारीख 20-7-82 (शुद्धि पत्र)
 74. सा० का० नि० 753 (प्र), तारीख 11-12-82 (शुद्धि पत्र)
 75. सा० का० नि० 109 (प्र), तारीख 26-2-83
 76. सा० का० नि० 249 (प्र), तारीख 8-3-83
 77. सा० का० नि० 268 (प्र), तारीख 16-3-83
 78. सा० का० नि० 283 (प्र), तारीख 26-3-83
 79. सा० का० नि० 329 (प्र), तारीख 14-4-1983 (शुद्धि पत्र)
 80. सा० का० नि० 539 (प्र), तारीख 1-7-1983 (शुद्धि पत्र)
 81. सा० का० नि० 634 तारीख 9-8-83 (शुद्धि पत्र)
 82. सा० का० नि० 743, तारीख 8-10-83 (शुद्धि पत्र)
 83. सा० का० नि० 790 (प्र), तारीख 10-10-83
 84. सा० का० नि० 803 (प्र) तारीख 27-10-83

85. सा का नि 816 (प्र), तारीख 3-11-83
 86. सा का नि 829 (प्र) तारीख 7-11-83
 87. सा का नि 848 (प्र) तारीख 19-11-83
 88. सा का नि 893 (प्र), तारीख 17-12-83 (शुद्धिपत्र)
 89. सा का नि 113 तारीख 20-1-84 (शुद्धि पत्र)

[स० पी० 15014/11/82-पी.एच. (एक.एण्ड एन.) पी. फ. ए.]
 एस० पी० सुख्ताप्पम, संयुक्त सचिव

MINISTRY OF HEALTH AND FAMILY WELFARE

(Department of Health)

NOTIFICATION

New Delhi, the 2nd July, 1984

G.S.R. 489(E):—The following draft of certain rules further to amend the Prevention of Food Adulteration Rules, 1955, which the Central Government proposes to make in exercise of the powers conferred by sub-section (1) of section 23 of the Prevention of Food Adulteration Act, 1954 (37 of 1954), after consultation with Central Committee for Food Standards, is hereby published as required by sub-section (1) of the said section 23, for the information of all persons likely to be affected thereby, and notice is hereby given that the said draft rules will be taken into consideration after the expiry of 90 days from the date on which the copies of the Gazette in which this notification is published are made available to the public.

Any objection or suggestion, which may be received from any person with respect to the said draft rules before the expiry of the period so specified, will be considered by the Central Government.

The objections or suggestions, if any, may be addressed to the Secretary, Ministry of Health and Family Welfare, Department of Health, Nirman Bhavan, New Delhi.

DRAFT RULES

- (1) These rules may be called the Prevention of Food Adulteration (Amendment) Rules, 1984.
- (2) They shall come into force on the date of their final publication in the official Gazette.

2. In the Prevention of Food Adulteration Rules, 1955, in Appendix B,(I) for items A.26.01, A.26.02, A.26.03, A.26.04, A.26.05, A.26.11, A.26.12 and A.26.13 the following items shall, respectively, be substituted, namely :—

"A.26.01	Amaranth
Common name	Amaranth
Synonyms	Bordeaux, S, FD & C Red No. 2, Amaranthe, C.I. Food Red 9, L. Rot 3, E.E.C. Serial No. E. 123.
Colour	Colour of the 0.1 per cent (w/v) solution in distilled water-red.
Colour Index Number (1956)	No. 16185
Class	Monoazo
Chemical Name	Trisodium salt of 1-(4-sulpho-1-naphthylazo)-2-naphthol-3, 6-disulphonic acid.

Empirical formula $C_{10}H_{11}N_3O_1S_2Na_2$

Molecular weight 604.48

Amaranth shall also conform to the following requirements, namely:—

Sl. No.	Characteristics	Requirements
	(i) Total dye content corrected for samples dried at $105^{\circ}\text{C} \pm 1^{\circ}\text{C}$ for 2 hours, per cent by weight, not less than	85
	(ii) Volatile matter at 135°C per cent by weight, and chloride and sulphate expressed as sodium salt, per cent by weight, not more than	15
	(iii) Water-insoluble matter, per cent by weight, not more than	0.5
	(iv) Combined ether extract, per cent by weight, not more than	0.2
	(v) Subsidiary dyes per cent by weight not more than	4.0
	(vi) Dye intermediates, per cent by weight, not more than	0.5
	(vii) Arsenic, parts per million, not more than	3.0
	(viii) Lead, parts per million, not more than	10.0

A.26.02 Brilliant Blue FCF

Common name	Brilliant Blue FCF.
Synonyms	C.I. Food blue 2, FD & C Blue No. 1, Blue brilliant FCF.
Class	Triarylmethane
Colour	Blue
Colour Index Number	(1956) No. 42090*
Chemical Name	Disodium salt of 4-[{4-(N-ethyl-p-sulphobenzylamino)-phenyl}] (2-sulphonumphenyl)-Methylene] [{1-(N-ethyl-N-P-sulphbenzyl) Δ 2, 5-cyclohexadienimine}
Empirical Formula	$C_{21}H_{24}N_4O_3S_2$
Molecular Weight	792.86

Brilliant Blue FCF shall also conform to the following requirements, namely:—

Sl. No.	Characteristics	Requirements
1	2	3
	(i) Total dye content corrected for samples dried at $105^{\circ}\text{C} \pm 1^{\circ}\text{C}$ for 2 hours, per cent by weight, not less than	85
	(ii) Volatile matter at 135°C , per cent by weight, and	
	Chloride and sulphate expressed as sodium salt, per cent by weight, not more than	15
	(iii) Water-insoluble matter, per cent by weight, not more than	0.2
	(iv) Combined ether extracts per cent by weight, not more than	0.2
	(v) Subsidiary dyes, per cent by weight, not more than	3

1	2	3
(vi) Dye intermediates, per cent by weight, not more than		0.5
(vii) Lead, parts per million, not more than		10
(viii) Arsenic, parts per million, not more than		3

A.26.03 Carmoisine

Common name	Carmoisine
Synonyms	Azorubine, C.I. Food Red 3, E.E.C Serial No. E. 122
Colour	Colour of the 0.1 per cent—(w/v) solution in distilled water-red.
Colour Index Number	(1956)—No. 14720
Class	Monoazo
Chemical	Disodium salt of 2 (4-Sulpho-1-naphthylazo)-1-Naphthol-4-sulphonic acid.
Empirical Formula	$C_{10}H_{11}N_3O_1S_2Na_2$
Molecular Weight	502.44
Carmoisine shall also conform to the following requirements, namely:—	

Sl. No.	Characteristics	Requirements
---------	-----------------	--------------

(i) Total dye content corrected for sample dried at $105^{\circ}\text{C} \pm 1^{\circ}\text{C}$ for 2 hours per cent by weight, not less than	85
(ii) Volatile matter at 135°C per cent by weight, and chloride and sulphate expressed as sodium salt, per cent by weight, not more than	15
(iii) Water-insoluble matter, per cent by weight, not more than	0.5
(iv) Combined ether extracts, per cent by weight not more than	0.5
(v) Subsidiary dyes, per cent by weight, not more than	1.0
(vi) Dye intermediate, per cent by weight, not more than	0.5
(vii) Arsenic, parts per million, not more than	3.0
(viii) Lead, parts per million, not more than	10.0

A.26.04 Erythrosine

Common name	Erythrosine
Synonyms	FD & C Red No. 3, C.I. Food Red 14, L B—Rot I
Colour	Colour of the 0.1 per cent (W/v) solution in distilled water-red.
Colour Index Number	—(1956) No. 45430
Class	Xanthene
Chemical name	Disodium or dipotassium salt 2'-4'-5'-7' tetra iodofluorescein
Empirical Formula	$C_{20}H_{16}O_4I_4Na_2$
Molecular Weight	879.87 (disodium salt)

Erythrosine shall also conform to the following requirements, namely :—

Sl. No.	Characteristics	Requirements
	(i) Total dye content corrected for sample dried at $105^{\circ}\text{C} \pm 1^{\circ}\text{C}$ for 2 hours, per cent by weight, not less than	85
	(ii) Volatile matter at 135°C per cent by weight and chloride and sulphate expressed as sodium salt, per cent by weight, not more than	15
	(iii) Water-insoluble matter, per cent by weight not more than	0.2
	(iv) Combined ether extract (alkanes) per cent by weight, not more than	0.2
	(v) Inorganic iodide, per cent by weight as sodium iodide, not more than	0.1
	(vi) Arsenic, parts per million, not more than	3.0
	(vii) Lead, parts per million, not more than	10.0

A-26.05 Fast Green FCF.

Common name	Fast green FCF.
Synonyms	CI Food Green 3, FD C Green No.3 Vert Solide FCF.
Colour	Green
Class	Triarylmethane
Colour Index No. (1956)	No. 42053
Chemical Name	Disodium salt of 4-[4-(N-ethyl-p-sulphobenzylamino) phenyl]- (4-hydroxy-2-sulphonium-phenyl)-methylene]-{1-(N-ethyl-N-P-sulphobenzyl) Δ 2,5-cyclohexadienimine.}
Empirical Formula	$\text{C}_{37}\text{H}_{44}\text{O}_{10}\text{N}_4\text{S}_2\text{Na}_2$
Molecular weight	808.86

Fast green FCF shall also conform to the following requirements, namely :—

Sl. No.	Characteristics	Requirements
1	2	3
	(i) Total dye content corrected for sample, dried at $105^{\circ}\text{C} \pm 1^{\circ}\text{C}$ for 2 hours, per cent by weight, not less than	85
	(ii) Volatile matter at 135°C , per cent by weight, and chloride and sulphate expressed as sodium salt, per cent by weight, not more than	15
	(iii) water-insoluble matter, per cent by weight, not more than	0.2
	(iv) Combined ether extracts, per cent by weight, not more than	0.2
	(v) Subsidary dyes, per cent by weight, not more than	1.0

1	2	3
	(vi) Dye Intermediates, per cent by weight, not more than	0.5
	(vii) Lead, part per million, not more than	10
	(viii) Arsenic, part per million, not more than	1.1

A-26.11. Fast Red E :

Common name	Fast Red E.
Synonyms	C.I. Food Red 4, Rouge Solide E.
Colour of the 0.1 per cent	(W/v) solution in distilled water—red.
Colour Index Number	(1956) No. 16045
Class	Monoazo
Chemical Name	Disodium salt of 1—(4—Sulpho-1-naphthylazo)—2—naphthol—6-sulphonic acid
Empirical Formula	$\text{C}_{20}\text{H}_{18}\text{N}_4\text{O}_7\text{S}_2\text{Na}_2$
Molecular Weight	502.44

Fast Red E shall also conform to the following requirements, namely :—

Sl. No.	Characteristics	Requirements
	(i) Total dye content corrected for sample dried at $105^{\circ}\text{C} \pm 1^{\circ}\text{C}$ for 2 hours, per cent by weight, not less than	85
	(ii) Volatile matter at 135°C per cent by weight, and chloride and sulphate expressed as sodium salt, per cent by weight, not more than	15
	(iii) water insoluble matter, per cent by weight, not more than	0.5
	(iv) Combined ether extracts, per cent by weight, not more than	0.5
	(v) Subsidiary dyes, per cent by weight, not more than	4.0
	(vi) Dye intermediates, per cent by weight, not more than	0.5
	(vii) Arsenic, parts per million, not more than	3.0
	(viii) Lead, parts per million, not more than	10.0

A-26.12. Green S

Common name	Green S.
Synonyms	Wool Green BS, Wool Green B, C.I. Food Green 4, Vert acide brilliant BS
Colour	Green
Class	Triarylmethane
Colour Index No. (1956)	No. 44090
Chemical Name	Monosodium salt of 4, 4'—bis (dimethyl-amino)-diphenylmethylen-(2-naphthol-3, 6-disulphonic acid

Empirical Formula $C_{17}H_{14}N_4NaO_4S_2$

Molecular Weight 576.63

Green S shall also conform to the following requirements, namely :—

Sl. No.	Characteristics	Requirements
	(i) Total dye content corrected for sample, dried at $105^{\circ}\text{C} \pm 1^{\circ}\text{C}$ for 2 hours, per cent by weight not less than	82
	(ii) Volatile matter at 135°C per cent by weight, and Chloride and sulphate expressed as sodium salt per cent by weight not more than	15
	(iii) water insoluble matter, per cent by weight, not more than	0.2
	(iv) Combined ether extract, per cent by weight, not more than	0.2
	(v) Subsidiary dyes, per cent by weight not more than	2.0
	(vi) 4, 4'-Di (dimethylamino) benzhydrol (Michler's hydro), per cent by weight not more than	0.25
	(vii) 4', 4'-Di(dimethyl amino) benzophenone (Michler's Ketone) per cent by weight not more than	0.25
	(viii) Lead, parts per million, not more than	10
	(ix) Arsenic, parts per million, not more than	3

A.26.13 Indigo Carmine

Common name	Indigo Carmine
Synonyms	Indigotine FD & C Blue No. 2 C.I. Food Blue 1, E.E.C. Serial No. 132 -Blau 2
Colour	Colour of the 0.1 per cent (W/v) solution in distilled water—blue
Colour Index Number	(1956)—No. 73015
Class	Indigcid.
Chemical name	Disodium salt of indigotine- 5- 5' disulphonic acid.
Empirical Formula	$C_{16}H_8N_4O_4S_2Na_2$
Molecular weight	466.36

Indigo carmine shall also conform to the following requirements, namely :—

Sl. No.	Characteristics	Requirements
	(i) Total dye content corrected for sample dried at $105^{\circ}\text{C} \pm 1^{\circ}\text{C}$ for 2 hours, per cent by weight, not less than	85
	(ii) Volatile matter at 135°C per cent by weight, and chloride and sulphate expressed as sodium salt per cent by weight, not more than	15
	(iii) water insoluble matter per cent by weight, not more than	0.5

1	2	3
(iv) Combined ether extract per cent by weight not more than		0.5
(v) Subsidiary dyes, per cent by weight not more than		5.0
(vi) Isatin sulphonic acid, per cent by weight, not more than		1.0
(vii) Arsenic, parts per million, not more than		3.0
(viii) Lead, parts per million, not more than		10.0

A.26.14 Ponceau 4 R

Common Name	Ponceau 4 R
Synonyms	C.I. Food Red 7, L-Rot No. 4, coelcine Nouvelle, Cochineal Red A; E.E.C. Serial No. E. 124
Colour of the 0.1 per cent (W/v) solution in distilled water—red.	
Colour Index No. (1956) No 16255	
Class	Monoazo
Chemical Name	Trisodium Salt of 1—(4 sulpho—1—naphthylazo)—2—naphthol—6—8—disulphonic acid
Empirical formula	$C_{18}H_{14}N_4O_4S_2Na_3$
Molecular weight	604.5

Ponceau 4R shall also conform to the following requirements, namely :—

Sl. No.	Characteristics	Requirements
	(i) Total dye content corrected for sample dried at $105^{\circ}\text{C} \pm 1^{\circ}\text{C}$ for 2 hours, per cent by weight, not less than	80
	(ii) Volatile matter at 135°C per cent by weight, and chloride and sulphate, expressed as sodium salt, per cent by weight, not more than	15
	(iii) Water insoluble matter per cent by weight, not more than	0.5
	(iv) Combined ether extracts per cent by weight, not more than	0.5
	(v) Subsidiary dyes, per cent by weight, not more than	1.0
	(vi) Dye intermediates, per cent by weight, not more than	0.5
	(vii) Arsenic, parts per million, not more than	3.0
	(viii) Lead, parts per million, not more than	10.0

A.26.15 Sunset Yellow FCF

Common Name	Sunset Yellow
Synonyms	FD and C Yellow No. 6 Jaune Orange S, C.I. Food Yellow 3, L-Orange 2, Jaune Soleil; E.E.C. Serial No. E. 110
Colour	Colour of the 0.1 per cent (W/v) solution in distilled water—orange.

Colour Index Number No. 15985
(1956)

Class Monoazo
Chemical name Disodium salt of 1—(4—sulphophenylazo)—2—naphthol—6—sulphonic acid
Empirical Formula $C_{16}H_{10}N_4O_7S_2Na_2$
Molecular Weight 452.37

Sunset Yellow FCF shall also conform to the following requirements, namely :—

Sl. No.	Characteristics	Requirements
(i)	Total dye content corrected for sample dried at $105^{\circ}\text{C} \pm 1^{\circ}\text{C}$ for 2 hours, per cent by weight, not less than	85
(ii)	Volatile matter at 135°C per cent by weight and chloride and sulphate expressed as sodium salt, per cent by weight not more than	15
(iii)	Water-insoluble matter, per cent by weight, not more than	0.5
(iv)	Combined ether extract, per cent by weight, not more than	0.2
(v)	Subsidiary dyes (lower sulphonated dye such as orange II) per cent by weight, not more than	5.0
(vi)	Dye intermediates, per cent by weight, not more than	0.5
(vii)	Arsenic, parts per million, not more than	3.0
(viii)	Lead, parts per million, not more than	10.0

A.26.16 Tartrazine

Common name Tartrazine
Synonyms FD & C Yellow No. 5, E.E.C. Serial No. E 102, L-Gebb 2, C.I. Food Yellow 4.
Colour Colour of the 0.1 per cent (W/v) solution in distilled water-yellow
Colour Index number (1956) No. 19140
Class AZO
Chemical name Trisodium salt of 5-hydroxy—1—P—sulphophenyl—4—(P—sulphophenylazo) Pyrazol—3—carboxylic acid.
Empirical Formula $C_{16}H_{10}N_4O_7S_2Na_3$
Molecular weight 534.4

Tartrazine shall also conform to the following requirements, namely :—

Sl. No.	Characteristics	Requirements
(i)	Total dye-content corrected for sample dried at $105^{\circ}\text{C} \pm 1^{\circ}\text{C}$ for 2 hours, per cent by weight, not less than	85

	1	2	3
(ii)	Volatile matter at 135°C Per cent by weight and chloride and sulphate expressed as sodium salts per cent by weight, not more than	15	
(iii)	Water-insoluble matter, per cent by weight, not more than	0.5	
(iv)	Combined ether extract per cent by weight, not more than	0.3	
(v)	Subsidiary dyes, per cent by weight, not more than	3.0	
(vi)	Dye Intermediate, per cent by weight, not more than	0.5	
(vii)	Arsenic, parts per million, not more than	3.0	
(viii)	Lead, parts per million, not more than	10.0	

(ii) item No. A.26.14 shall be renumbered as item No. A.26.17 and in item No. A.26.17 so renumbered,—

(a) in the third para, for the words and figures,—“and the total dye content shall be within 15 per cent of the declared value” the following shall be substituted, namely :—

“The total dye content for liquid preparations and mixtures shall not be less than 10 per cent or more than 15 per cent of the declared value and for the solid preparations and mixtures it shall be within ± 7.5 per cent of the declared value”;

(b) the existing Note shall be renumbered as Note 1 and after Note 1 as so renumbered, the following Note shall be inserted, namely :—

“Note 2 : Coal tar food colours listed above, shall be free from mercury, selenium, and chromium in any form, aromatic amines, aromatic nitro compounds, aromatic hydrocarbons and cyanides.”

Note : The Principal rules of Prevention of Food Adulteration Rules 1955 were first published in Part II, Section 3 of the Gazette of India vide S.R.O.2106 dated 12-9-55 and subsequently amended as follow; by :—

1. S.R.O. 1202 dt 26-5-56
2. S.R.O. 1687 dt 28-7-56
3. S.R.O. 2213 dt 28-9-56 (Extraordinary)
4. S.R.O. 2755 dt 24-11-56

The further amendment were published in part II, Section 3 sub-section (i) of Gazette of India as follows by :—

5. G.S.R. 514 dt. 28-6-58
6. G.S.R. 1211 dt. 20-12-58
7. G.S.R. 425 dt. 4-4-60
8. G.S.R. 169 dt. 11-2-61
9. G.S.R. 1134 dt. 16-9-61
10. G.S.R. 1340 dt. 4-11-61
11. G.S.R. 1564 dt. 24-11-62
12. G.S.R. 1589 dt. 22-10-64
13. G.S.R. 1814 dt. 11-12-65
14. G.S.R. 74 dt. 8-1-66
15. G.S.R. 382 dt. 19-3-66
16. G.S.R. 1256 dt. 26-8-67
17. G.S.R. 1533 dt. 24-8-68

18. G.S.R. 2163 dt 14-12-68 (Corrigendum)
 19. G.S.R. 532 dt 8-3-69
 20. G.S.R. 1764 dt. 26-7-69 (Corrigendum)
 21. G.S.R. 2068 dt 30-8-69
 22. G.S.R. 1809 dt 24-10-70
 23. G.S.R. 938 dt 12-6-71
 24. G.S.R. 992 dt 3-7-71
 25. G.S.R. 553 dt 6-5-72
 26. G.S.R. 436 (E) dt 10-10-72
 27. G.S.R. 133 dt 10-2-73
 28. G.S.R. 205 dt 23-2-74
 29. G.S.R. 850 dt 12-7-75
 30. G.S.R. 508 (E) dt 27-9-75
 31. G.S.R. 63(E) dt 5-2-76
 32. G.S.R. 754 dt. 29-5-76
 33. G.S.R. 856 dt. 12-6-76
 34. G.S.R. 1417 dt. 2-10-76
 35. G.S.R. 4(E) dt 4-1-77
 36. G.S.R. 18(E) dt. 15-1-77
 37. G.S.R. 651(E) dt. 20-10-77
 38. G.S.R. 732(E) dt. 5-12-77
 39. G.S.R. 775 (E) dt. 27-12-77
 40. G.S.R. 36(E) dt. 21-1-78
 41. G.S.R. 70 (E) dt 8-2-78
 42. G.S.R. 238(E) dt. 20-4-78
 43. G.S.R. 393(E) dt. 4-8-78
 44. G.S.R. 590(E) dt. 23-12-78
 45. G.S.R. 55(E) dt. 31-1-79
 46. S.O. 142(E) dt. 16-3-79 (Corrigendum)
 47. G.S.R. 231 (E) dt. 6-4-79
 48. G.S.R. 423 dt 30-6-79 (Corrigendum)
 49. G.S.R. 1043 dt. 11-8-79 (Corrigendum)
 50. G.S.R. 1210 dt. 29-9-79 (Corrigendum)
 51. G.S.R. 19(E) dt. 28-1-80
 52. G.S.R. 243 dt. 1-3-80
 53. G.S.R. 244 dt. 1-3-80
 54. G.S.R. 996 dt. 8-9-80 (Corrigendum)
 55. G.S.R. 579 (E) dt. 13-10-80
 56. G.S.R. 652 (E) dt. 14-11-80
 57. G.S.R. 710(E) dt. 22-12-80
 58. G.S.R. 23(E) dt. 16-1-81
 59. G.S.R. 205(E) dt. 25-3-81 (Corrigendum)
 60. G.S.R. 290(E) dt. 13-4-81
 61. G.S.R. 444 dt. 2-5-81(Corrigendum)
 62. G.S.R. 503(E) dt. 1-9-81
 63. G.S.R. 891 dt. 3-10-81 (Corrigendum)
 64. G.S.R. 1056 dt. 5-12-81 (Corrigendum)
 65. G.S.R. 80 dt. 23-1-82 (Corrigendum)
 66. G.S.R. 44 (E) dt. 5-2-82
 67. G.S.R. 57(E) dt. 11-2-82
 68. G.S.R. 245(E) dt. 11-3-82
 69. G.S.R. 307(E) dt. 3-4-82 (Corrigendum)
 70. G.S.R. 386 dt. 17-4-82 (Corrigendum)
 71. G.S.R. 422(E) dt. 24-5-82
 72. G.S.R. 476(E) dt. 29-6-82
 73. G.S.R. 504 (E) dt. 20-7-82 (Corrigendum)
 74. G.S.R. 753(E) dt. 11-12-82 (Corrigendum)
 75. G.S.R. 109(E) dt. 26-2-83
 76. G.S.R. 249(E) dt. 8-3-83
 77. G.S.R. 268(E) dt. 16-3-83
 78. G.S.R. 283(E) dt. 26-3-83
 79. G.S.R. 329(E) dt. 14-4-83 (Corrigendum)
 80. G.S.R. 539(E) dt. 1-7-83 (Corrigendum)
 81. G.S.R. 634 dt. 9-8-83 (Corrigendum)
 82. G.S.R. 743 dt. 8-10-83 (Corrigendum)
 83. G.S.R. 790(E) dt. 10-10-83
 84. G.S.R. 803(E) dt. 27-10-83
 85. G.S.R. 816(E) dt. 3-11-83
 86. G.S.R. 829(E) dt. 7-11-83
 87. G.S.R. 848(E) dt. 19-11-83
 88. G.S.R. 893(E) dt. 17-12-83 (Corrigendum)
 89. G.S.R. 113 dt. 20-1-84 (Corrigendum)

[N. P-15014/11/82- PHC (F&N) PFA]

S.V. SUBRAMANIYAN, Jt. Secy.

